

Lp.	Kod towaru	Opis	Ilość	Cena/ szt.	Cena całkowita
1	#313000239	gumka do LCD GSC4927BA01 (rubber for GSC4927BA01)	480	0,085	40,58
2	08055A3R3CAT2A - ROHS	kondensator	4000	0,032	127,18
3	1.5KE130A	transil	400	0,925	369,94
4	1.5KE39CA	transil	299	0,657	196,41
5	1N5822 - ROHS	dioda	1400	0,193	270,00
6	24LC512-E/SM - ROHS	układ scalony	90	3,556	320,02
7	293D336X9010B2TE3 - ROHS	kondensator	116000	0,127	14 771,04
8	4053 DIP	układ scalony	50	0,240	12,00
9	4069 SMD - ROHS	układ scalony	2600	0,238	617,50
10	4094 DIP	układ scalony	50	0,300	15,00
11	43P-5K	potencjometr	200	1,200	240,00
12	74HC02D PHI - ROHS	układ scalony	399	0,165	65,83
13	74HC08D PHI - ROHS	układ scalony	2296	0,200	459,20
14	74HC14D PHI - ROHS	układ scalony	57	0,187	10,68
15	74HC151D PHI - ROHS	układ scalony	50	0,329	16,45
16	74HC191D PHI - ROHS	układ scalony	200	0,420	84,00
17	74HC245PW PHI - ROHS	układ scalony	300	0,400	120,00
18	74HC367D PHI - ROHS	układ scalony	450	0,485	218,25
19	74HC4052D PHI - ROHS	układ scalony	1566	0,350	548,10
20	74HCT02D PHI - ROHS	układ scalony	285	0,187	53,29
21	74HCT125D PHI - ROHS	układ scalony	114	0,262	29,82
22	74HCT14D PHI - ROHS	układ scalony	570	0,196	112,00
23	74HCT4046AD - ROHS	układ scalony	1467	0,989	1 451,35
24	74HCT573DW FAI - ROHS	układ scalony	725	0,240	174,00
25	74LVC244AD NXP-ROHS	układ scalony	489	0,440	215,16
26	74LVC245APW PHI - ROHS	układ scalony	75	0,337	25,24
27	74LVC32AD PHI - ROHS	układ scalony	1083	0,190	205,77
28	74LVC541AD PHI - ROHS	układ scalony	760	0,400	304,00
29	74LVX04M FAI - ROHS	układ scalony	550	0,206	113,30
30	A29L160TV-70/A	układ scalony	13	5,000	65,00
31	AC14 SO14	układ scalony	100	0,320	32,00
32	AC32 SO14	układ scalony	150	0,280	42,00
33	AC74 SO14	układ scalony	150	0,300	45,00
34	AM29F010B-70PC	układ scalony	105	9,136	959,33
35	AT24C04BN-SH-B-ROHS	układ scalony	500	0,228	113,95
36	ATMEGA8515-16JI	układ scalony	317	5,038	1 597,09
37	BAR43C-STM -ROHS	dioda	6000	0,096	575,40
38	BAT54 NXP - ROHS	dioda	6000	0,039	236,31
39	BAV103 VIS - ROHS	dioda	7500	0,033	243,75
40	BC547B - ROHS	tranzystor	14000	0,059	822,93
41	BC807-40W - ROHS	tranzystor SOT323	6000	0,048	288,00
42	BC847BW PHI - ROHS	tranzystor	3000	0,027	80,00
43	BCW68H INF - ROHS	tranzystor	3000	0,045	133,50
44	BD140 STM - ROHS	tranzystor	200	0,300	60,00
45	BYW51-200G - ROHS	dioda	150	1,178	176,70
46	BZX84C05V6	dioda	3000	0,044	132,19

47	BZX84C06V8	dioda	3000	0,042	126,52
48	BZX85C04V3	dioda	3000	0,091	272,10
49	CA6V-100K-ROHS	potencjometr	1000	0,290	290,00
50	CBRHD-04BK	mostek prostowniczy	600	0,231	138,62
51	CD4021BM TI - ROHS	układ scalony	178	0,370	65,82
52	CD4052BM TI - ROHS	układ scalony	640	0,328	209,92
53	CD4053M TI - ROHS	układ scalony	175	0,285	49,87
54	CD74HC573M TI - ROHS	układ scalony	75	0,470	35,25
55	CD74HCT164E TI - ROHS	układ scalony	400	0,350	140,00
56	D.47K	drabinka rezystorowa	600	0,140	84,00
57	DB105	mostek prostowniczy	100	0,360	36,00
58	DIH03GE-LF - ROHS	przełącznik	500	0,037	18,57
59	DIL28 PRECYZYJNA - ROHS	podstawka	17	0,150	2,55
60	DIL8 - ROHS	podstawka	600	0,181	108,50
61	DL.0805 10UH 10% - ROHS	dławik	100	0,090	9,00
62	DL.0805 47NH 5% - ROHS	dławik	100	0,268	26,80
63	DL.100UH	dławik	1000	0,090	90,00
64	DL.3U3H	dławik	2000	0,070	140,00
65	DS3902U-515+ - ROHS	układ scalony	147	2,920	429,24
66	DV-16210-S1FBLV	wyświetlacz LCD	1	48,000	48,00
67	ECR1CPT221MLL350811	kondensator Jianghai 220uF/16V, 20%, 85° C, RM=3.5mm, 8x11.5mm, 3.000 - 4.000h	7000	0,055	383,49
68	ECR1EPT221MLL350811	kondensator Jianghai 220uF / 25V 85 st.; RM=3.5mm; 8x11mm, 3.000h	1300	0,075	97,26
69	ECR1EPT471MLL501012	kondensator Jianghai 470uF / 25V 85 st.; RM=5.0mm; 10x12mm, 4.000h	1000	0,127	126,68
70	ECR1HPT470MLL250611	kondensator Jianghai 47uF / 50V 85 st.; RM=2.5mm; 6,3x11.5mm, 3.000h	400	0,053	21,08
71	ECR1JGC102MLL751835	kondensator Jianghai 1.000uF / 63V; 105 st.; RM=7.5mm; 18x35mm; 10.000h	200	1,463	292,50
72	ECR1JPT101MLL501012	kondensator Jianghai 100uF / 63V 85 st.; RM=.5.0mm; 10x12mm, 3.000h	2800	0,119	333,64
73	ECR1VBK221MCE501012	kondensator Jianghai 220uF / 35V 105 st.; RM=5.0mm; 10x12mm, 3.000h	2500	0,104	260,36
74	ECR1VBK222MLL751625	kondensator Jianghai 2.200uF / 35V 105 st.; RM=7.5mm; 16x25mm, 3.000h	300	0,823	247,03
75	ECR1VGC102MLL751620	kondensator Jianghai 1.000uF / 35V 105 st.; RM=7.5mm; 16x20mm, 10.000h	479	0,506	242,39
76	ECR2AGC471MCE751831 - JEBO113	kondensator Jianghai 470uF / 100V 105 st.; RM=7.5mm; 18x31mm, 10.000h	250	1,705	426,17
77	ECR2APT010MLL200511	kondensator Jianghai 1uF / 100V 85 st.; RM=2.0mm; 5x11.5mm, 3.000h	7000	0,037	260,05
78	EP1K100QC208-3N - ROHS	układ scalony	21	81,682	1 715,32
79	EP1K30TC144-3N - ROHS	układ scalony	150	10,447	1 566,99
80	EPF10K30AQC208-3N - ROHS	układ scalony	39	93,302	3 638,77
81	FFC1020200	taśma 20 przewody, R=1mm, L=200mm	241	0,868	209,15
82	FYA-R1005ZUG-21-L9.0 - ROHS	bargraf Green - długie nogi 9mm , 35mcd	5	0,000	0,00
83	FYD-3021BG-21 - ROHS	Wyświetlacz LED 2 cyfry zielony, 14-18mcd/segment, 570nm, szare tło (Bez kropki)	5034	0,609	3 066,94
84	FYD-4321BUG-21 - ROHS	Wyświetlacz LED 2 cyfry zielony, 30-50mcd/segment, 570nm, szare tło z kropką	5	0,000	0,00
85	FYL-25A3GD1B - ROHS	dioda LED 2x5mm, green diffused, 20mcd, 100deg, 568nm	35	0,000	0,00
86	FYL-25A3HD1B - ROHS	dioda LED 2x5mm, red diffused, 13mcd, 100deg, 700nm	25	0,000	0,00
87	FYL-25A3YD1B - ROHS	dioda LED 2x5mm, yellow diffused,20mcd, 100deg, 591nm	35	0,000	0,00
88	FYL-5013VC1C-15 - ROHS	LED	10	0,000	0,00
89	FYL-5019EYW1C-CA	dioda LED Bi color OR/Green, water diffused, 20mcd/15mcd, 635/570nm, 60 deg	30	0,000	0,00
90	FYM-14581AUA-11 - ROHS	matryca LED	2	0,000	0,00
91	FYM-23581AUA-11	matryca LED	1	0,000	0,00
92	FYM-23581AY-21	matryca LED	165	1,784	294,41
93	FYM-34581AUA-11	matryca LED	1	0,000	0,00
94	FYQ-3641AUB-11	wyświetlacz LED	5	5,586	27,93
95	FYQ-3641AUHR-AA	wyświetlacz LED	5	1,412	7,06
96	FYS-10012BG-21	wyświetlacz LED	3	0,000	0,00
97	FYS-15013BUY-21	wyświetlacz LED	2	0,000	0,00
98	FYS-15013BUY-21-L12.5 - ROHS	wyświetlacz LED	1	0,000	0,00
99	FYS-23011BUR-11	wyświetlacz LED	122	2,261	275,82
100	FYS-3612AB-21	wyświetlacz LED 1 cyfra, blue, 460nm,20-30mcd, 2.8-3.8V, gray surface	1	0,000	0,00
101	FYS-3612BG-21	wyświetlacz LED	2	0,000	0,00
102	FYS-3612BUA-21	wyświetlacz LED	4	0,000	0,00
103	FYS-3912BUG-21 - ROHS	LED	10	0,000	0,00
104	FYS-3914BUG-21 - ROHS	LED	7	0,000	0,00
105	FYS-5211AUA-11 - ROHS	wyświetlacz LED	4	0,000	0,00

106	FYS-5612AUHR-11 - ROHS	wyświetlacz	10	0,000	0,00
107	FYS-5612AUHR-21	wyświetlacz LED	10	0,000	0,00
108	FYSH-3528PGC-66-12V-W	Taśma LED zielone, PLCC2 szer.8mm waterproof, 700mcd	1000	0,084	84,25
109	FYSH-3528UGC-66-12V-W - ROHS	taśma LED zielone, PLCC2 szer.8mm waterproof, 700mcd	1800	0,100	179,13
110	FYSH-3528URC-66-12V-W	Taśma LED czerwona, PLCC2 szer.8mm, waterproof, 200mcd	1800	0,066	119,19
111	FYSH-3528UYC-66-12V-W	Taśma LED żółte PLCC2 szer.8mm waterproof, 200mcd	1800	0,100	179,13
112	FYSH-5050PG3-04-11-12V	lumi chain - moduł LED green (20szt)	1	0,000	0,00
113	FYSH-5050UR3-04-11-12V	lumi chain - moduł LED Red (20szt)	1	0,000	0,00
114	FYSH-5050UW3-04-11-12V	lumi chain - moduł LED white (20szt)	1	0,000	0,00
115	FYSH-5050UY3-04-11-12V	lumi chain - moduł LED Yellow (20szt)	1	0,000	0,00
116	FYT-3132BUB-11	wyświetlacz LED	10	4,272	42,72
117	FYT-3132BUHR-11	wyświetlacz LED	10	1,052	10,52
118	FYT-5631BY-21 - ROHS	wyświetlacz LED 0,56" 3 cyfry żółty	2	0,000	0,00
119	GATW80SP8K1R0	(EOL)LCD 8.0" TFT 800x480 (16:9) RGB, LED + Touch Panel złącze 40pin 0,5mm	2	229,545	459,09
120	GKTY43SN9E1S0	(EOL) wyświetlacz TFT 4,3" 450cd/m2, rozdż.480x272 złącze 40pin 0,5mm	1	71,070	71,07
121	GNAZDO ZASILAJĄCE	gniazdo zasilające	1994	0,460	917,24
122	GSC4927BA01	wyświetlacz LCD	240	2,226	534,25
123	GSJ-D-27-75 - ROHS	tłumik	200	0,439	87,79
124	GSM WM-SIM340CZ - ROHS	modem GSM	20	52,530	1 050,59
125	GTTQ57SP7J1RO	(EOL) LCD 5,7" TFT 320x240 RGB LED + Touch Panel, złącze 33 pin 0,5mm, 450cd/m2	1	217,270	217,27
126	GTTV57NN771E0	LCD TFT 5.7", 640x480, LED 300cd/m^2, RGB 18b (262k), AA: 115.2x86.4, OL: 144.0x104.6x13.4	2	170,665	341,33
127	HC123 DIP - ROHS	układ scalony NXP	495	0,400	198,00
128	HC14 DIP	układ scalony	100	0,200	20,00
129	HC20 SO14	układ scalony	114	0,200	22,80
130	HC4040 SO16	układ scalony	240	0,400	96,00
131	HCT123 SO16	układ scalony	400	0,400	160,00
132	HCT14 DIP	układ scalony	450	0,200	90,10
133	HD6412363VF33V - ROHS	układ scalony	38	25,190	957,22
134	HEF4001BT PHI - ROHS	układ scalony	398	0,200	79,60
135	HEF4015BT PHI - ROHS	układ scalony	50	0,358	17,92
136	HEF4052BP PHI - ROHS	układ scalony	600	0,313	187,53
137	HL-3528H238W300K9C4-12-H-PW	taśma LED (5mb) cool white waterproof	4000	0,085	340,74
138	HL-LB001D20W-5B5C3	moduł 15 diod LED białych zimnych 260lm,120 stopni	1	7,400	7,40
139	HL-TW180C56D13-V-PW	Tube LED Lamp 220V L=0,6 metra cold white 15W, 28LUX	1	57,250	57,25
140	HL-TW180C56D13-V-WW	Tube LED Lamp 220V L=0,6 metra warm white, 15W, 28LUX	2	57,255	114,51
141	HSMA-A100-Q00J1 - ROHS	dioda LED	1810	0,164	297,64
142	IS62LV256-70U	układ scalony 32Kx8 SRAM LVolt	620	1,250	775,00
143	JPRH0704-120M	dławik mocy 12uH; 7.3x7.3x4.5mm; Rdc=0.058R; Idc=1.71A	5	0,410	2,05
144	JPRH0704-181M	dławik mocy 180uH; 7.3x7.3x4.5mm; Rdc=0.98R; Idc=0.42A	1000	0,429	428,59
145	JSPK0804-331M	dławik mocy 330uH; 9.5x13.5x5.5mm; Rdc=1.02R; Idc=0.6A	4000	0,436	1 743,14
146	JUMPER 35MM BLUE - ROHS	jumper blue 35mm	500	0,135	67,58
147	JWI0603C-12NJ	dławik drutowy W.Cz. 0603; 12NH 5%; Q=35; SRF=4.0GHz; Rdc=0.13R; Idc=700mA; 3K/reel	12000	0,147	1 759,70
148	JWI0603C-2N0S	dławik drutowy W.Cz. 0603; 2.0NH +/- 0.3NH; Q=16; SRF=6.9GHz; Rdc=0.08R; Idc=700mA; 3K/reel	6000	0,133	796,09
149	JWI0603C-33NJ	dławik drutowy W.Cz. 0603; 33NH; 5%; Q=43; SRF=2.3GHz; Rdc=0.22R; Idc=600mA; 3K/reel	12000	0,176	2 108,92
150	JWI0603C-R10J	dławik drutowy W.Cz. 0603; 100NH; 5%; Q=35; SRF=1.4GHz; Rdc=0.63R; Idc=400mA; 3K/reel	3000	0,168	504,34
151	JWI0603C-R27J	dławik drutowy W.Cz. 0603; 270NH; 5%; Q=30; SRF=1.0GHz; Rdc=1.80R; Idc=170mA; 3K/reel	3000	0,146	439,33
152	JWI0805C-27NG	dławik drutowy W.Cz. 0805; 27NH; 2%; Q=60; SRF=3.0GHz; Rdc=0.12R; Idc=600mA; 2K/reel	2000	0,160	320,56
153	JWI0805C-39NJ	dławik drutowy W.Cz. 0805; 39NH; 5%; Q=60; SRF=2.0GHz; Rdc=0.18R; Idc=500mA; 2K/reel	8000	0,103	827,94
154	JWI1210C-33NJ	dławik drutowy W.Cz. 1210; 33NH; 5%; Q=60; SRF=1.7GHz; Rdc=0.08R; Idc=1.000mA; 2K/reel	65	0,000	0,01
155	JWI1210C-39NJ	dławik drutowy W.Cz. 1210; 39NH; 5%; Q=60; SRF=1.7GHz; Rdc=0.08R; Idc=1.000mA; 2K/reel	70	0,000	0,01
156	JWI1210C-47NJ	dławik drutowy W.Cz. 1210; 47NH; 5%; Q=60; SRF=1.7GHz; Rdc=0.08R; Idc=1.000mA; 2K/reel	70	0,000	0,01
157	JWI1210C-56NJ	dławik drutowy W.Cz. 1210; 56NH; 5%; Q=60; SRF=1.1GHz; Rdc=0.1R; Idc=1.000mA; 2K/reel	70	0,000	0,01
158	JWI1210C-68NJ	dławik drutowy W.Cz. 1210; 68NH; 5%; Q=60; SRF=1.0GHz; Rdc=0.1R; Idc=1.000mA; 2K/reel	70	0,000	0,01
159	JWI1210C-82NJ	dławik drutowy W.Cz. 1210; 82NH; 5%; Q=60; SRF=1.0GHz; Rdc=0.1R; Idc=1.000mA; 2K/reel	70	0,000	0,01
160	JWI1210C-R10J	dławik drutowy W.Cz. 1210; 100NH; 5%; Q=60; SRF=0.9GHz; Rdc=0.1R; Idc=1.000mA; 2K/reel	70	0,000	0,01
161	JWI1210C-R15J	dławik drutowy W.Cz. 1210; 150NH; 5%; Q=60; SRF=0.80GHz; Rdc=0.18R; Idc=800mA; 2K/reel	50	0,000	0,01
162	JWI1210C-R18J	dławik drutowy W.Cz. 1210; 180NH; 5%; Q=60; SRF=0.76GHz; Rdc=0.21R; Idc=800mA; 2K/reel	70	0,000	0,01
163	JWI1210C-R22J	dławik drutowy W.Cz. 1210; 220NH; 5%; Q=60; SRF=0.66GHz; Rdc=0.27R; Idc=800mA; 2K/reel	65	0,000	0,01
164	JWI1210C-R33J	dławik drutowy W.Cz. 1210; 330NH; 5%; Q=50; SRF=0.55GHz; Rdc=0.37R; Idc=650mA; 2K/reel	70	0,000	0,01

165	JWI1210F-270J	dławik drutowy W.Cz. 1210; 27UH; 5%; Q=15; SRF=20MHz; Rdc=6.8R; Idc=80mA; 2K/reel	100	0,120	11,97
166	JWI1210F-3R3J	dławik drutowy W.Cz. 1210; 3.3UH; 5%; Q=30; SRF=60MHz; Rdc=1.4R; Idc=260mA; 2K/reel	200	0,120	23,94
167	JWI453232-102K	dławik drutowy 1812; 1000UH; 10%; Q=20; SRF=2.5MHz; Rdc=40R; Idc=30mA; 500/reel	40	0,000	0,00
168	JWI453232-821K	dławik drutowy 1812; 820UH; 10%; Q=30; SRF=2.5MHz; Rdc=35R; Idc=30mA; 500/reel	50	0,000	0,00
169	KANTO220	podkładka silikonowa	1000	0,120	120,00
170	KC0603 120P / 50V NPO 5% - ROHS	kondensator	8000	0,006	44,77
171	KC0603 1N5 / 50V X7R 10% - ROHS	kondensator	16000	0,007	104,32
172	KC0603 220N / 16V Y5V 20% - ROHS	kondensator	4000	0,010	38,35
173	KC0603 2N2 / 50V X7R 10% - ROHS	kondensator	8000	0,007	53,81
174	KC0603 2P / 50V NPO B - ROHS	kondensator	44000	0,013	577,10
175	KC0603 30P / 50V COG 1% - ROHS	kondensator	4000	0,038	152,00
176	KC0603 39P / 50V NPO 5% - ROHS	kondensator	12000	0,006	77,93
177	KC0603 3N3 / 50V X7R 10% - ROHS	kondensator	20000	0,007	134,92
178	KC0603 3N9 / 50V X7R 10% - ROHS	kondensator	12000	0,007	80,71
179	KC0603 4N7 / 50V X7R 10% - ROHS	kondensator	8000	0,007	54,86
180	KC0603 56P / 50V NPO 2% - ROHS	kondensator	4000	0,020	78,80
181	KC0603 56P / 50V NPO 5% - ROHS	kondensator	8000	0,007	53,42
182	KC0603 82P / 50V NPO 5% - ROHS	kondensator	4000	0,006	23,16
183	KC0805 120P / 50V NPO 5% - ROHS	kondensator	4000	0,009	34,89
184	KC0805 12N / 50V X7R 10%-ROHS	kondensator	8000	0,011	84,05
185	KC0805 15P / 200V NPO 5% - ROHS	kondensator	4000	0,015	59,00
186	KC0805 15P / 50V NPO 5% - ROHS	kondensator 53D222	19900	0,007	145,55
187	KC0805 1N2 / 50V X7R 10% - ROHS	kondensator	16000	0,010	161,34
188	KC0805 1N5 / 50V X7R 10% - ROHS	kondensator	4000	0,010	41,98
189	KC0805 1P / 50V NPO B - ROHS	kondensator	8000	0,011	89,69
190	KC0805 1P2 / 50V NPO C - ROHS	kondensator	20000	0,011	216,25
191	KC0805 1P5 / 50V NPO C - ROHS	kondensator	8000	0,011	89,61
192	KC0805 270P / 50V NPO 5% - ROHS	kondensator	12000	0,014	162,07
193	KC0805 27P / 50V NPO 5% - ROHS	kondensator	16000	0,010	159,65
194	KC0805 2N2 / 50V X7R 10% - ROHS	kondensator	24000	0,009	224,54
195	KC0805 2P2 / 50V NPO C - ROHS	kondensator	12000	0,011	126,55
196	KC0805 30P / 50V NPO 5% - ROHS	kondensator	12000	0,011	134,54
197	KC0805 330P / 50V NPO 5% - ROHS	kondensator	12000	0,013	160,83
198	KC0805 36P / 50V NPO 5% - ROHS	kondensator	4000	0,019	76,38
199	KC0805 39P / 50V NPO 5% - ROHS	kondensator	40000	0,009	375,85
200	KC0805 3N3 / 50V X7R 10% - ROHS	kondensator 53D294	7950	0,009	69,98
201	KC0805 3P3 / 50V COG C - ROHS	kondensator	12000	0,014	163,65
202	KC0805 3P9 / 50V NPO C - ROHS	kondensator	12000	0,011	131,14
203	KC0805 470P / 50V NPO 5% - ROHS	kondensator	750	0,020	15,00
204	KC0805 4P7 / 50V NPO C - ROHS	kondensator	4000	0,010	38,94
205	KC0805 560P / 50V NPO 5% - ROHS	kondensator	8000	0,014	109,88
206	KC0805 56N / 50V X7R 10% - ROHS	kondensator	8000	0,021	166,99
207	KC0805 6N8 / 50V X7R 10% - ROHS	kondensator	3900	0,008	30,36
208	KC0805 82P / 50V NPO 5% - ROHS	kondensator	4000	0,008	31,06
209	KC0805 8P2 / 50V NPO C - ROHS	kondensator	12000	0,011	127,08
210	KC1206 100P / 50V NPO 5% - ROHS	kondensator	8000	0,023	185,25
211	KC1206 10N / 50V X7R 10% - ROHS	kondensator	12000	0,019	225,47
212	KC1206 10P / 50V NPO 5% - ROHS	kondensator	8000	0,020	160,50
213	KC1206 120N / 50V X7R 10% - ROHS	kondensator	4000	0,035	138,67
214	KC1206 150P / 50V COG 5% - ROHS	kondensator	4000	0,026	102,36
215	KC1206 15P / 50V NPO 5% - ROHS	kondensator	8000	0,018	142,95
216	KC1206 1N / 50V X7R 10% - ROHS	kondensator	108000	0,021	2 215,26
217	KC1206 220P / 50V NPO 5% - ROHS	kondensator	24000	0,022	518,50
218	KC1206 27P / 50V NPO 5% - ROHS	kondensator	28000	0,022	609,19
219	KC1206 2N2 / 50V X7R 10% - ROHS	kondensator	8000	0,022	177,50
220	KC1206 2N7 / 50V X7R 10% - ROHS	kondensator	8000	0,022	172,85
221	KC1206 330P / 50V NPO 5% - ROHS	kondensator	24000	0,023	546,51
222	KC1206 33N / 50V X7R 10% - ROHS	kondensator	12000	0,017	209,17
223	KC1206 33P / 50V NPO 5% - ROHS	kondensator	16000	0,022	348,10

224	KC1206 39P / 50V NPO 5% - ROHS	kondensator	12000	0,022	259,26
225	KC1206 47N / 50V X7R 10% - ROHS	kondensator	8000	0,021	169,04
226	KC1206 4N7 / 50V X7R 10% - ROHS	kondensator	52000	0,023	1 206,80
227	KC1206 680N / 50V Y5V 20% - ROHS	kondensator	24000	0,063	1 519,34
228	KC1206 6N8 / 50V X7R 10% - ROHS	kondensator	8000	0,023	183,44
229	KC1210 10U / 16V X5R 10% - ROHS	kondensator ceramiczny	4000	0,433	1 730,40
230	KDR03 - ROHS	złącze	750	0,051	38,29
231	KDR07	złącze	1000	0,056	55,72
232	KE1000U / 35V LOW ESR	kondensator	600	1,859	1 115,29
233	KE10U / 50V SMD 20% 85°C - ROHS	kondensator	1020	0,110	112,20
234	KE220U / 25V 20% 105°C LOW ESR	kondensator	300	0,124	37,20
235	KE22U / 35V SMD 20% 105°C - ROHS	kondensator	20	0,180	3,60
236	KM220N / 50V R=5MM - ROHS	kondensator	5000	0,080	400,00
237	KM-23YD-F - ROHS	dioda LED	1880	0,327	614,63
238	KM470N / 50V R=5MM - ROHS	kondensator	860	0,088	76,06
239	KSZ8993MI-ROHS - LUTOWANE	układ scalony	66	18,285	1 206,78
240	KZ0442	złącze	1000	0,048	48,04
241	L4990AD	układ scalony	147	5,800	852,60
242	L-53SYD - ROHS	dioda LED	1000	0,193	193,00
243	L7818CV STM - ROHS	stabilizator	500	0,317	158,67
244	L78L08 SO8 - ROHS	stabilizator	980	0,352	344,57
245	L78L33ACUTR	próbki	2	0,000	0,00
246	L7924CV STM - ROHS	stabilizator	350	0,330	115,50
247	L-934MBC	dioda LED	400	1,250	500,00
248	LKD22525PM - ROHS	soczewka	37	0,635	23,48
249	LKD22545FW - ROHS	soczewka	37	0,635	23,48
250	LKD25HT - ROHS	obudowa soczewki	80	0,067	5,32
251	LKD3525PM - ROHS	soczewka	37	1,198	44,34
252	LKD3560FW - ROHS	soczewka	37	1,198	44,34
253	LM2576TV-3.3VG ON - ROHS	układ scalony	50	3,566	178,30
254	LM2903N STM - ROHS	układ scalony	500	0,207	103,50
255	LMC555CM SO8	układ scalony	85	0,440	37,40
256	LR06 AA - ROHS TECXUS	LR 6 SP-4 Tecxus 11002 [23632]	20	0,000	0,00
257	LV14 SO14	układ scalony	57	0,468	26,65
258	LV4094 SO16	układ scalony	300	1,716	514,74
259	LVC14 SO14	układ scalony	57	0,230	13,11
260	LVX02 SO14	układ scalony	330	0,460	151,80
261	LVX138 SO16	układ scalony	336	0,610	204,96
262	LVX244 SOL20	układ scalony	740	0,450	333,00
263	M24256BWMN6P - ROHS	układ scalony	100	1,239	123,90
264	M29W640GT70NA6E	M29W640GT70NA6E-ND układ scalony	5	14,004	70,02
265	M93C46WMN6P STM - ROHS	układ scalony	100	0,400	40,00
266	MAX232 DIP	układ scalony	50	0,900	45,00
267	MAX232N TI - ROHS	układ scalony	650	0,740	481,00
268	MBR1645	dioda	100	1,000	100,00
269	MC13135DWR2	układ scalony	700	12,200	8 540,00
270	MC14503BDG ON - ROHS	układ scalony	1650	0,394	650,92
271	MC33078P	układ scalony	500	0,650	325,00
272	MC34063APIG ON - ROHS	układ scalony	100	0,900	90,00
273	MC4558 SO8 - ROHS	układ scalony	5000	0,234	1 170,00
274	MC7912CTG ON - ROHS	stabilizator	350	0,380	133,00
275	MCP23S17-E/SO - ROHS	układ scalony	108	3,646	393,79
276	MJL21193G ON - ROHS	tranzystor	50000	0,008	415,00
277	MKT33N / 63V R=5MM 10%	kondensator	380	0,096	36,38
278	MKT47N / 100V R=5MM 5%	kondensator	200	0,112	22,44
279	MKT68N / 100V R=5MM 10%	kondensator	1600	0,088	140,80
280	MM74HC244WM FAI - ROHS	układ scalony	224	0,250	56,00
281	MM74HCT374N DIP - ROHS	układ scalony	144	0,270	38,88
282	MRX56620CV-H -ROHS	złącze	100	0,550	55,00

283	MRX56622CV-H -ROHS	złącze	120	0,790	94,80
284	MT8870DS1 ZAR - ROHS	układ scalony	259	1,669	432,34
285	NDS355AN - ROHS	tranzystor	70	0,235	16,45
286	OMNI-ID MAX ABS TAG	tag RFiD	2	16,925	33,85
287	OMNI-ID MAX HD PC TAG	tag RFiD	2	25,845	51,69
288	OMNI-ID MAX SQ TAG	tag RFiD	2	10,385	20,77
289	OSM57LZ161D - ROHS	dioda LED Flux 3mm, warm white, 60deg, typ.7000mcd@30mA, water clear	900	0,393	353,57
290	OSM57LZ2C1D - ROHS	dioda LED Flux 5mm, warm white, 120deg, typ.3500mcd@30mA, water clear	900	0,393	353,57
291	OSMFM5	taśma LED warm white PLCC2, szer. 8mm	300	0,300	90,04
292	OSMFW5	taśma LED cool white PLCC2 szer. 8mm	600	0,300	180,07
293	OSO5GAS1C1A	Dioda LED PLCC2, orange, 120deg, typ.700mcd, water clear	980	0,206	202,36
294	OSPG56A1A-KL	dioda LED	1000	0,260	260,00
295	OSR5PAS1C1A - ROHS	dioda LED - PLCC2 type, red, 120deg, typ.700mcd, 625nm, water clear	990	0,252	249,17
296	OSW573S3C1A - ROHS	Dioda LED PLCC - 4 biała zimna , 120deg, 7000mcd@20mA, yellow diffused	995	0,619	615,98
297	OSW57LZ161D	dioda LED Flux 3mm, cool white, 60deg, typ.8000mcd@30mA, water clear	985	0,393	386,97
298	OSW57LZ2C1D - ROHS	dioda LED Flux 5mm, cool white, 120deg, typ.3500mcd@30mA, water clear	995	0,393	390,90
299	OSWPM5	taśma LED warm white waterproof PLCC6, szer.12mm 300 szt/rolce	2000	0,170	339,89
300	OSYL5111A-PP - ROHS	dioda LED 5mm, żółta 15 stopni , 5000mcd, water clear, taśmowane	20	0,115	2,29
301	P6KE43A VIS - ROHS	transil	3500	0,255	892,50
302	PC1602AR-QEH-A	wyświetlacz LCD	18	24,000	432,00
303	PC1602ARU-IWA-A	wyświetlacz LCD	16	18,800	300,80
304	PC1604ARU-AWA-A	wyświetlacz LCD	22	42,950	944,90
305	PC2002LRU-ANH-B	wyświetlacz LCD	57	20,056	1 143,21
306	PC2002LRU-LWA-B	wyświetlacz LCD	1	78,000	78,00
307	PCB TEST TFT - ROHS	płytki PCB	19	3,265	62,03
308	PIC12F509-I/SN	układ scalony	1900	2,210	4 199,00
309	PIC16F873A-I/SP - ROHS	układ scalony	60	9,056	543,37
310	PIC16LF1827-I/SO - ROHS	układ scalony	812	2,436	1 978,14
311	PIC18F87J10-I/PT - ROHS	układ scalony	30	15,000	450,00
312	PIML PLUS ROHS	moduł GSM	2	103,730	207,46
313	PP25SW	obudowa	100	4,111	411,12
314	Q10.0000MHZ HC49U	kwarc	200	0,850	170,00
315	Q10.2450MHZ HC49U	kwarc	500	0,353	176,60
316	Q13.8750MHZ HC49S CQ - ROHS	kwarc	950	0,196	185,85
317	Q16.3840MHZ HC49U	kwarc	97	1,060	102,82
318	Q18.4320MHZ HC49U	kwarc	97	0,296	28,75
319	Q20.0000MHZ HC49U	kwarc	1145	0,856	979,75
320	Q22,1184MHZ HC49S	kwarc	200	0,208	41,60
321	Q27.1450MHZ HC49U	kwarc	300	0,910	273,00
322	Q3.6864MHZ HC49U - ROHS	kwarc	100	0,400	40,00
323	Q6.0000MHZ HC49S	kwarc	300	0,300	89,98
324	Q6.0000MHZ HC49U	kwarc	158	0,316	49,87
325	Q7.6800MHZ HC49S - ROHS	kwarc	1100	0,202	222,14
326	Q8.0000MHZ HC49U/SMD - ROHS	kwarc	170	0,258	43,80
327	QR16.3840MHZ	generator kwarcowy	50	4,200	210,00
328	QR20.0000MHZ	generator kwarcowy	65	3,500	227,50
329	R1LV1616HSA-4SI REN - ROHS	układ scalony	7	37,700	263,90
330	RC4558P	układ scalony	500	0,144	71,75
331	REZ.0.25W 120R 5% - ROHS	rezystor	5000	0,009	45,00
332	REZ.0.25W 2K2 5% - ROHS	rezystor	1000	0,007	7,00
333	REZ.0.25W 3R3 5% - ROHS	rezystor	2000	0,008	15,40
334	REZ.0.25W 47K 5% - ROHS	rezystor	1000	0,007	7,00
335	REZ.0.25W 82R 5%-ROHS	rezystor	5000	0,009	45,00
336	REZ.0.6W 15R 1% -ROHS	rezystor	500	0,020	10,00
337	REZ.0.6W 1K1 1% - ROHS	rezystor	3600	0,019	69,12
338	REZ.0.6W 1K78 1% - ROHS	rezystor	3900	0,019	74,88
339	REZ.0.6W 220R 1% - ROHS	rezystor	5000	0,050	250,78
340	REZ.0.6W 2K37 1% - ROHS	rezystor	3400	0,019	65,28
341	REZ.0.6W 300R 1% - ROHS	rezystor	400	0,016	6,40

342	REZ.0.6W 3K32 1% - ROHS	rezystor	3000	0,019	57,60
343	REZ.0.6W 51K1 1% - ROHS	rezystor	4000	0,019	76,80
344	REZ.0603 120R 5% - ROHS	rezystor	34970	0,002	66,74
345	REZ.0603 12R 1% - ROHS	rezystor	50000	0,002	124,81
346	REZ.0603 12R 5% - ROHS	rezystor	20000	0,001	26,39
347	REZ.0603 18K 1% - ROHS	rezystor	20000	0,002	31,63
348	REZ.0603 1K5 5% - ROHS	rezystor	5000	0,002	8,72
349	REZ.0603 1M1 1% - ROHS	rezystor	20000	0,002	31,70
350	REZ.0603 200K 1% - ROHS	rezystor	5000	0,003	13,14
351	REZ.0603 200R 1% - ROHS	rezystor	15000	0,002	36,36
352	REZ.0603 20K 1% - ROHS	rezystor	30000	0,002	72,72
353	REZ.0603 21R 1% - ROHS	rezystor	5000	0,002	7,95
354	REZ.0603 22K 5% - ROHS	rezystor	35000	0,001	46,16
355	REZ.0603 240R 1% - ROHS	rezystor	30000	0,003	81,45
356	REZ.0603 24R 1% - ROHS	rezystor	10000	0,002	24,22
357	REZ.0603 24R 5% - ROHS	rezystor	20000	0,001	24,34
358	REZ.0603 2K 5% - ROHS	rezystor	10000	0,002	17,45
359	REZ.0603 2K7 5% - ROHS	rezystor	10000	0,002	18,83
360	REZ.0603 2R2 1% - ROHS	rezystor	5000	0,005	26,06
361	REZ.0603 300R 5% - ROHS	rezystor	35000	0,002	61,62
362	REZ.0603 30K 1% - ROHS	rezystor	5000	0,002	8,89
363	REZ.0603 330K 1% - ROHS	rezystor	30000	0,002	72,72
364	REZ.0603 33K 5% - ROHS	rezystor	10000	0,001	12,33
365	REZ.0603 33R 1% - ROHS	rezystor	5000	0,002	12,11
366	REZ.0603 33R 5% - ROHS	rezystor	10000	0,002	17,12
367	REZ.0603 360K 1% - ROHS	rezystor	10000	0,002	15,65
368	REZ.0603 360R 5% - ROHS	rezystor	20000	0,001	25,57
369	REZ.0603 390R 5% - ROHS	rezystor	10000	0,002	17,12
370	REZ.0603 39R 1% - ROHS	rezystor	45000	0,003	113,75
371	REZ.0603 3K3 5% - ROHS	rezystor	15000	0,002	25,68
372	REZ.0603 3R3 1% - ROHS	rezystor	20000	0,002	48,48
373	REZ.0603 470K 1% - ROHS	rezystor	40000	0,002	69,08
374	REZ.0603 510R 5% - ROHS	rezystor	30000	0,002	53,55
375	REZ.0603 51R 1% - ROHS	rezystor	35000	0,002	59,54
376	REZ.0603 56R 5%-ROHS	Rezystor	35000	0,002	68,86
377	REZ.0603 5K6 1% - ROHS	rezystor	25000	0,003	63,19
378	REZ.0603 5K6 5% - ROHS	rezystor	10000	0,002	17,85
379	REZ.0603 620K 1% - ROHS	rezystor	10000	0,002	16,06
380	REZ.0603 620R 1% - ROHS	rezystor	15000	0,002	26,62
381	REZ.0603 68K 5% - ROHS	rezystor	25000	0,002	45,00
382	REZ.0603 6K19 1% - ROHS	rezystor	10000	0,002	23,58
383	REZ.0603 75K 1% - ROHS	rezystor	25000	0,002	39,64
384	REZ.0603 820R 5% - ROHS	rezystor	10000	0,002	15,11
385	REZ.0603 91K 1% - ROHS	rezystor	5000	0,002	12,12
386	REZ.0603 91R 1% - ROHS	rezystor	10000	0,002	22,96
387	REZ.0805 102K 1% - ROHS	rezystor	40000	0,003	106,14
388	REZ.0805 105K 1% - ROHS	rezystor	5000	0,004	19,65
389	REZ.0805 10M 5% - ROHS	rezystor	15000	0,002	28,33
390	REZ.0805 110R 5% - ROHS	rezystor	45000	0,002	75,55
391	REZ.0805 120K 1% - ROHS	rezystor	40000	0,002	86,60
392	REZ.0805 120R 5% - ROHS	rezystor	35000	0,002	59,32
393	REZ.0805 124K 1% - ROHS	rezystor	40000	0,004	159,07
394	REZ.0805 12K 5% - ROHS	rezystor	25000	0,002	62,17
395	REZ.0805 12R 1% - ROHS	rezystor	25000	0,003	85,48
396	REZ.0805 130K 5% - ROHS	rezystor	10000	0,002	18,99
397	REZ.0805 13K 1% - ROHS	rezystor	15000	0,003	39,63
398	REZ.0805 13R 5% - ROHS	rezystor	10000	0,002	20,59
399	REZ.0805 150K 1% - ROHS	rezystor	29900	0,003	99,66
400	REZ.0805 158R 1% - ROHS	rezystor	30000	0,003	104,27

401	REZ.0805 15K 5% - ROHS	rezystor	35000	0,002	67,64
402	REZ.0805 15R 1% - ROHS	rezystor	5000	0,003	13,88
403	REZ.0805 15R 5% - ROHS	rezystor	20000	0,002	47,46
404	REZ.0805 160K 5% - ROHS	rezystor	40000	0,002	81,80
405	REZ.0805 160R 5% - ROHS	rezystor	10000	0,002	18,99
406	REZ.0805 169K 1% - ROHS	rezystor	5000	0,004	19,65
407	REZ.0805 16K 1% - ROHS	rezystor	10000	0,003	26,67
408	REZ.0805 17K4 1% - ROHS	rezystor	40000	0,003	106,14
409	REZ.0805 180K 1% - ROHS	rezystor	35000	0,003	91,59
410	REZ.0805 180K 5% - ROHS	rezystor	15000	0,002	34,31
411	REZ.0805 180R 1% - ROHS	rezystor	25000	0,003	85,47
412	REZ.0805 1K1 1% - ROHS	rezystor	20000	0,003	50,91
413	REZ.0805 1K24 1% - ROHS	rezystor	30000	0,003	79,60
414	REZ.0805 1K4 1% - ROHS	rezystor	10000	0,003	26,32
415	REZ.0805 1K5 5% - ROHS	rezystor	80000	0,002	126,50
416	REZ.0805 1K8 5% - ROHS	rezystor	45000	0,002	98,56
417	REZ.0805 1M2 1% - ROHS	rezystor	105000	0,003	274,07
418	REZ.0805 1M2 5% - ROHS	rezystor	45000	0,002	86,96
419	REZ.0805 1M3 1% - ROHS	rezystor	10000	0,003	26,67
420	REZ.0805 1R 1% - ROHS	rezystor	10000	0,003	33,33
421	REZ.0805 200K 1% - ROHS	rezystor	15000	0,003	46,18
422	REZ.0805 200R 1% - ROHS	rezystor	35000	0,003	121,29
423	REZ.0805 200R 5% - ROHS	rezystor	5000	0,002	9,49
424	REZ.0805 20K 5% - ROHS	rezystor	20000	0,002	35,46
425	REZ.0805 20R 5% - ROHS	rezystor	20000	0,002	38,62
426	REZ.0805 210K 1% - ROHS	rezystor	5000	0,004	19,65
427	REZ.0805 215K 1% - ROHS	rezystor	20000	0,003	62,23
428	REZ.0805 21R 1% - ROHS	rezystor	50000	0,003	173,78
429	REZ.0805 220K 1% - ROHS	rezystor	5000	0,003	13,20
430	REZ.0805 22K 5% - ROHS	rezystor	20000	0,002	42,92
431	REZ.0805 22K6 1% - ROHS	rezystor	15000	0,003	42,97
432	REZ.0805 240K 1% - ROHS	rezystor	55000	0,003	145,17
433	REZ.0805 240R 1%	rezystor	10000	0,005	50,00
434	REZ.0805 24K 1% - ROHS	rezystor	50000	0,003	131,55
435	REZ.0805 24K 5% - ROHS	rezystor	15000	0,002	33,34
436	REZ.0805 24K3 1% - ROHS	rezystor	30000	0,003	79,60
437	REZ.0805 24R 5% - ROHS	rezystor	10000	0,002	15,65
438	REZ.0805 24R9 1% - ROHS	rezystor	15000	0,003	51,27
439	REZ.0805 270K 1% - ROHS	rezystor	35000	0,003	116,65
440	REZ.0805 274K 1% - ROHS	rezystor	10000	0,003	30,95
441	REZ.0805 27K 1% - ROHS	rezystor	15000	0,003	48,85
442	REZ.0805 27K 5% - ROHS	rezystor	20000	0,002	41,52
443	REZ.0805 27R 5% - ROHS	rezystor	90000	0,002	176,17
444	REZ.0805 2K 5% - ROHS	rezystor	20000	0,002	38,54
445	REZ.0805 2K4 1% - ROHS	rezystor	15000	0,003	40,00
446	REZ.0805 2K4 5% - ROHS	rezystor	5000	0,002	10,22
447	REZ.0805 2M 1% - ROHS	rezystor	10000	0,003	26,67
448	REZ.0805 2M2 1% - ROHS	rezystor	45000	0,002	104,80
449	REZ.0805 2M4 1% - ROHS	rezystor	20000	0,003	66,37
450	REZ.0805 2R 5% - ROHS	rezystor	5000	0,002	11,65
451	REZ.0805 2R2 1% - ROHS	rezystor	10000	0,003	33,33
452	REZ.0805 2R7 5% - ROHS	rezystor	10000	0,002	19,32
453	REZ.0805 300K 1% - ROHS	rezystor	5000	0,003	13,33
454	REZ.0805 300K 5% - ROHS	rezystor	90000	0,002	184,05
455	REZ.0805 30K 1% - ROHS	rezystor	55000	0,003	142,47
456	REZ.0805 30K 5% - ROHS	rezystor	10000	0,002	19,33
457	REZ.0805 30K1 1% - ROHS	rezystor	5000	0,028	141,82
458	REZ.0805 30R 1% - ROHS	rezystor	35000	0,003	116,19
459	REZ.0805 330K 1% - ROHS	rezystor	40000	0,003	105,64

460	REZ.0805 330K 5% - ROHS	rezystor	5000	0,002	10,33
461	REZ.0805 33R 1% - ROHS	rezystor	9900	0,003	30,50
462	REZ.0805 33R 5% - ROHS	rezystor	20000	0,002	33,98
463	REZ.0805 34K 1% - ROHS	rezystor	10000	0,003	30,93
464	REZ.0805 360K 1% - ROHS	rezystor	30000	0,002	58,42
465	REZ.0805 360R 5% - ROHS	rezystor	40000	0,002	81,84
466	REZ.0805 36K 1% - ROHS	rezystor	10000	0,003	34,19
467	REZ.0805 36R 1% - ROHS	rezystor	25000	0,002	60,42
468	REZ.0805 390K 1% - ROHS	rezystor	100000	0,002	237,59
469	REZ.0805 39K 1% - ROHS	rezystor	30000	0,002	68,44
470	REZ.0805 39K 5% - ROHS	rezystor	10000	0,002	17,32
471	REZ.0805 39R 5% - ROHS	rezystor	10000	0,002	24,06
472	REZ.0805 3K16 1% - ROHS	rezystor	35000	0,003	92,87
473	REZ.0805 3K3 5% - ROHS	rezystor	80000	0,002	141,03
474	REZ.0805 3K74 1% - ROHS	rezystor	15000	0,004	58,95
475	REZ.0805 3K9 1% - ROHS	rezystor	5000	0,002	11,90
476	REZ.0805 3K9 5% - ROHS	rezystor	15000	0,002	30,67
477	REZ.0805 3M3 1% - ROHS	rezystor	55000	0,003	142,50
478	REZ.0805 3M3 5% - ROHS	rezystor	25000	0,002	60,56
479	REZ.0805 3R 5% - ROHS	rezystor	10000	0,004	40,00
480	REZ.0805 3R3 1% - ROHS	rezystor	40000	0,003	126,02
481	REZ.0805 40K2 1% - ROHS	rezystor	20000	0,003	57,22
482	REZ.0805 41K2 1% - ROHS	rezystor	5000	0,005	24,50
483	REZ.0805 43K 5% - ROHS	rezystor	5000	0,002	11,44
484	REZ.0805 43R 1% - ROHS	rezystor	25000	0,003	83,33
485	REZ.0805 470K 1% - ROHS	rezystor	20000	0,002	47,34
486	REZ.0805 470K 5% - ROHS	rezystor	35000	0,002	71,57
487	REZ.0805 487K 1% - ROHS	rezystor	45000	0,003	137,55
488	REZ.0805 499K 1% - ROHS	rezystor	10000	0,004	39,30
489	REZ.0805 4K3 1% - ROHS	rezystor	115000	0,003	299,34
490	REZ.0805 4K64 1% - ROHS	rezystor	40000	0,003	106,14
491	REZ.0805 4M3 1% - ROHS	rezystor	30000	0,002	68,44
492	REZ.0805 4M7 1% - ROHS	rezystor	10000	0,003	30,79
493	REZ.0805 4R7 1% - ROHS	rezystor	30000	0,003	94,65
494	REZ.0805 510R 5% - ROHS	rezystor	20000	0,002	33,98
495	REZ.0805 51K 1% - ROHS	rezystor	15000	0,003	49,99
496	REZ.0805 51K 5% - ROHS	rezystor	10000	0,002	17,79
497	REZ.0805 51R 5% - ROHS	rezystor	40000	0,002	63,25
498	REZ.0805 536R 1% - ROHS	rezystor	10000	0,002	21,66
499	REZ.0805 560K 1% - ROHS	rezystor	5000	0,003	15,72
500	REZ.0805 56K 1% - ROHS	rezystor	25000	0,003	66,56
501	REZ.0805 56K 5% - ROHS	rezystor	25000	0,002	44,33
502	REZ.0805 56R 5% - ROHS	rezystor	5000	0,002	10,73
503	REZ.0805 5K1 5% - ROHS	rezystor	50000	0,002	86,06
504	REZ.0805 5K49 1% - ROHS	rezystor	40000	0,003	106,14
505	REZ.0805 5K6 5% - ROHS	rezystor	10000	0,002	16,79
506	REZ.0805 5R1 1% - ROHS	rezystor	45000	0,003	149,84
507	REZ.0805 5R6 1% - ROHS	rezystor	15000	0,002	34,63
508	REZ.0805 604R 1% - ROHS	rezystor	70000	0,003	226,75
509	REZ.0805 620K 1% - ROHS	rezystor	25000	0,003	65,81
510	REZ.0805 62R 1% - ROHS	rezystor	5000	0,008	40,00
511	REZ.0805 63K4 1% - ROHS	rezystor	40000	0,003	106,14
512	REZ.0805 680K 5% - ROHS	rezystor	25000	0,002	42,47
513	REZ.0805 680R 1% - ROHS	rezystor	5000	0,002	10,93
514	REZ.0805 68K 1% - ROHS	rezystor	5000	0,003	16,66
515	REZ.0805 6K2 1% - ROHS	rezystor	155000	0,002	376,17
516	REZ.0805 6K2 5% - ROHS	rezystor	10000	0,002	23,73
517	REZ.0805 6M8 5% - ROHS	rezystor	45000	0,002	103,31
518	REZ.0805 6R8 5% - ROHS	rezystor	20000	0,002	44,89

519	REZ.0805 73K2 1% - ROHS	rezystor	40000	0,003	106,14
520	REZ.0805 750R 1% - ROHS	rezystor	30000	0,002	71,95
521	REZ.0805 7K15 1% - ROHS	rezystor	10000	0,003	33,22
522	REZ.0805 7K5 5% - ROHS	rezystor	35000	0,002	58,76
523	REZ.0805 82K 1% - ROHS	rezystor	5000	0,003	16,50
524	REZ.0805 82K 5% - ROHS	rezystor	20000	0,002	48,02
525	REZ.0805 82R 5% - ROHS	rezystor	15000	0,002	25,72
526	REZ.0805 84R5 1% - ROHS	rezystor	25000	0,003	70,37
527	REZ.0805 8K2 1% - ROHS	rezystor	30000	0,002	66,68
528	REZ.0805 8K2 5% - ROHS	rezystor	30000	0,002	54,28
529	REZ.0805 8R2 5% - ROHS	rezystor	10000	0,002	20,25
530	REZ.0805 91K 1% - ROHS	rezystor	25000	0,003	76,99
531	REZ.0805 953K 1% - ROHS	rezystor	25000	0,003	76,32
532	REZ.0805 9K1 1% - ROHS	rezystor	15000	0,003	52,13
533	REZ.0805 9K1 5% - ROHS	rezystor	10000	0,002	23,51
534	REZ.1206 100R 5% - ROHS	rezystor	605000	0,003	2 054,44
535	REZ.1206 10R 5% - ROHS	rezystor	10000	0,004	37,01
536	REZ.1206 120K 5% - ROHS	rezystor	15000	0,003	45,07
537	REZ.1206 150K 5% - ROHS	rezystor	40000	0,004	158,66
538	REZ.1206 15K 5% - ROHS	rezystor	10000	0,003	34,72
539	REZ.1206 15R 1% - ROHS	rezystor	15000	0,004	62,62
540	REZ.1206 15R 5% - ROHS	rezystor	25000	0,004	93,78
541	REZ.1206 16R 1% - ROHS	rezystor	40000	0,005	208,16
542	REZ.1206 18K 5% - ROHS	rezystor	5000	0,004	19,55
543	REZ.1206 18R 1% - ROHS	rezystor	5000	0,006	28,83
544	REZ.1206 19K6 1% - ROHS	rezystor	5000	0,022	107,50
545	REZ.1206 1K 5% - ROHS	rezystor	10000	0,003	30,53
546	REZ.1206 1K5 1% - ROHS	rezystor	20000	0,005	106,98
547	REZ.1206 1K5 5% - ROHS	rezystor	5000	0,004	18,36
548	REZ.1206 200R 1% - ROHS	rezystor	30000	0,006	171,58
549	REZ.1206 200R 5% - ROHS	rezystor	10000	0,003	32,55
550	REZ.1206 20K 1% - ROHS	rezystor	20000	0,004	77,89
551	REZ.1206 20K 5% - ROHS	rezystor	40000	0,003	117,13
552	REZ.1206 220K 5% - ROHS	rezystor	5000	0,003	15,41
553	REZ.1206 22K 5% - ROHS	rezystor	30000	0,004	111,03
554	REZ.1206 249K 1% - ROHS	rezystor	5000	0,005	23,47
555	REZ.1206 24R 1% - ROHS	rezystor	100000	0,004	401,52
556	REZ.1206 24R 5% - ROHS	rezystor	20000	0,004	80,47
557	REZ.1206 274K 1% - ROHS	rezystor	5000	0,005	23,47
558	REZ.1206 27K 5% - ROHS	rezystor	20000	0,003	67,53
559	REZ.1206 2K2 5% - ROHS	rezystor	5000	0,003	15,72
560	REZ.1206 2M2 5% - ROHS	rezystor	10000	0,003	30,49
561	REZ.1206 2R 1% - ROHS	rezystor	20000	0,003	68,69
562	REZ.1206 2R7 5% - ROHS	rezystor	30000	0,003	87,02
563	REZ.1206 30K 5% - ROHS	rezystor	10000	0,004	42,95
564	REZ.1206 30R 1% - ROHS	rezystor	10000	0,004	37,19
565	REZ.1206 330R 1% - ROHS	rezystor	20000	0,006	112,46
566	REZ.1206 330R 5% - ROHS	rezystor	15000	0,004	56,02
567	REZ.1206 33K 5% - ROHS	rezystor	15000	0,004	55,10
568	REZ.1206 33R 5% - ROHS	rezystor	20000	0,004	73,81
569	REZ.1206 360K 5% - ROHS	rezystor	55000	0,004	203,55
570	REZ.1206 374K 1% - ROHS	rezystor	5000	0,006	29,92
571	REZ.1206 383K 1% - ROHS	rezystor	5000	0,005	23,47
572	REZ.1206 390K 5% - ROHS	rezystor	20000	0,004	78,22
573	REZ.1206 390R 5% - ROHS	rezystor	20000	0,004	74,02
574	REZ.1206 39K 1% - ROHS	rezystor 11E572	9850	0,009	85,21
575	REZ.1206 3K 5% - ROHS	rezystor	10000	0,004	37,53
576	REZ.1206 3K3 5% - ROHS	rezystor	40000	0,004	146,94
577	REZ.1206 3M3 5% - ROHS	rezystor	5000	0,003	15,16

578	REZ.1206 3R 5% - ROHS	rezystor	5000	0,004	18,47
579	REZ.1206 430K 1% - ROHS	rezystor	10000	0,006	57,68
580	REZ.1206 430R 5% - ROHS	rezystor	25000	0,003	77,66
581	REZ.1206 470R 5% - ROHS	rezystor	35000	0,003	113,72
582	REZ.1206 47K 5% - ROHS	rezystor	45000	0,003	139,50
583	REZ.1206 47R 5% - ROHS	rezystor	10000	0,004	40,00
584	REZ.1206 4K3 5% - ROHS	rezystor	15000	0,004	55,12
585	REZ.1206 4K7 1% - ROHS	rezystor	10000	0,004	38,43
586	REZ.1206 4M7 5% - ROHS	rezystor	10000	0,004	42,78
587	REZ.1206 51R 1% - ROHS	rezystor	55000	0,004	238,74
588	REZ.1206 560R 1% - ROHS	rezystor	5000	0,004	19,73
589	REZ.1206 56K 5% - ROHS	rezystor	5000	0,003	15,16
590	REZ.1206 56R 5% - ROHS	rezystor	145000	0,003	450,20
591	REZ.1206 5K1 5% - ROHS	rezystor	15000	0,004	63,27
592	REZ.1206 5K6 1% - ROHS	rezystor	10000	0,005	49,46
593	REZ.1206 604R 1% - ROHS	rezystor	35000	0,005	175,16
594	REZ.1206 620R 5% - ROHS	rezystor	10000	0,004	42,11
595	REZ.1206 680K 1% - ROHS	rezystor	35000	0,004	154,04
596	REZ.1206 680R 5% - ROHS	rezystor	5000	0,003	17,36
597	REZ.1206 68K 1% - ROHS	rezystor	40000	0,005	200,00
598	REZ.1206 68K 5% - ROHS	rezystor	25000	0,004	105,44
599	REZ.1206 68R 1% - ROHS	rezystor	10000	0,004	36,29
600	REZ.1206 6K8 5% - ROHS	rezystor	15000	0,004	58,70
601	REZ.1206 6M8 5% - ROHS	rezystor	10000	0,004	42,18
602	REZ.1206 6R8 5% - ROHS	rezystor	25000	0,003	77,42
603	REZ.1206 7K5 1% - ROHS	rezystor	5000	0,005	25,89
604	REZ.1206 82K 1% - ROHS	rezystor	5000	0,005	26,85
605	REZ.1206 8K2 5% - ROHS	rezystor	45000	0,003	137,98
606	REZ.1206 8R2 5% - ROHS	rezystor	5000	0,006	30,00
607	REZ.1206 91K 1% - ROHS	rezystor	5000	0,005	26,85
608	REZ.1206 91K 5% - ROHS	rezystor	35000	0,004	147,62
609	REZ.1206 91R 1% ROHS TC100	rezystor	10000	0,007	74,01
610	REZ.1206 9K1 1% - ROHS	rezystor	20000	0,006	115,35
611	REZ.1W 150R 5% - ROHS	rezystor	400	0,034	13,60
612	REZ.1W 220R 5% - ROHS	rezystor	300	0,034	10,20
613	REZ.1W 330R 5% - ROHS	rezystor	500	0,034	17,00
614	REZ.2512 39R 5% - ROHS	rezystor	4000	0,039	156,39
615	REZ.2W 330R 5% - ROHS	rezystor	100	0,055	5,50
616	REZ.5W 10R 5%	rezystor	500	0,280	140,00
617	REZ.MELF 220R 1% - ROHS	rezystor	4900	0,111	544,41
618	SA571DG - ROHS	układ scalony	92	8,580	789,36
619	SMP1307-004LF/TR3 - ROHS	dioda	12000	1,392	16 704,08
620	SN74AHC573DW SO-20 - ROHS	układ scalony	100	0,293	29,31
621	SN74HC138D TI - ROHS	układ scalony	40	0,206	8,24
622	SN74HC14D TI - ROHS	układ scalony	230	0,209	48,18
623	SN74HC165D TI - ROHS	układ scalony	230	0,291	66,95
624	SN74HC174N TI - ROHS	układ scalony	400	0,380	152,00
625	SN74LV02AD TI - ROHS	układ scalony	800	0,210	168,00
626	SR5R2	złącze	500	0,143	71,25
627	SSC12A64ULLY-H - ROHS	wyświetlacz LCD	30	32,410	972,29
628	SSC12G64DLYY	wyświetlacz LCD	9	84,000	756,00
629	ST232CWR STM - ROHS	układ scalony	1000	0,620	620,00
630	T89C51RC2-SLSCM	układ scalony	108	22,500	2 430,00
631	TAG IRONSIDE	tag RFiD	5	11,526	57,63
632	TAG SURVIVOR	tag RFiD	5	9,244	46,22
633	TC1275 SOT23-5	układ scalony	60	0,533	32,00
634	TC4428EOA - ROHS	układ scalony	126	1,793	225,92
635	TC58V64BFT	układ scalony	135	11,642	1 571,61
636	TLP504A	transoptor	300	0,862	258,60

637	TO-1608BC-GD - ROHS	dioda LED 0603 zielona	900	0,070	62,76
638	TO-2013BC-EC - ROHS	dioda LED 0805 czerwona	35565	0,072	2 567,65
639	TO-2013BC-MRE - ROHS	dioda LED 0805 czerwona	18000	0,081	1 461,27
640	TO-2013BC-YC - ROHS	dioda LED 0805 żółta, 585nm, 10mcd	23900	0,072	1 714,89
641	TO-3228BC-MEF-F	dioda LED - PLCC4 pomarańczowa 200mcd 140 stopni	1985	0,239	473,94
642	TO-3228BC-MYF-F	dioda LED - PLCC4 żółta	2000	0,224	447,68
643	TO-3228BC-MYG-B	dioda LED - PLCC2 żółta (czarne tło) jasność 600mcd.	137	0,237	32,46
644	TO-3228BY-WWH-E - ROHS	dioda LED - PLCC2 biała (ciepła)	2055	0,303	622,01
645	TOA-1510ZEG-B - ROHS	bargraf LED	240	1,953	468,77
646	TOA-L2500ZMG-3W - ROHS	bargraf LED - Green - długie nogi	2000	0,342	683,33
647	TOD-2281BK-B-LC - ROHS	wyświetlacz LED	456	0,626	285,48
648	TOD-4201BG-3N - ROHS	wyświetlacz LED	1897	1,017	1 928,44
649	TOD-4201BH-N - ROHS	wyświetlacz LED	995	0,729	724,92
650	TOD-5263BBMG-B - ROHS	wyświetlacz LED biały 14,2 mm , anoda	994	6,537	6 497,62
651	TOD-5263BH-N - ROHS	wyświetlacz LED (szare tło)	5	0,650	3,25
652	TOD-8201BG-N - ROHS	wyświetlacz LED	510	1,199	611,26
653	TOD-8201BMG-B - ROHS	wyświetlacz LED - zamiennik nowy to FYD-8021DUG-I1	6	0,322	1,93
654	TOD-8201BS-B - ROHS	wyświetlacz LED	6	0,322	1,93
655	TOD-8201BY-N - ROHS	wyświetlacz LED	479	2,400	1 149,78
656	TOF-2451FK-N	wyświetlacz LED	100	2,128	212,82
657	TOF-5462BG-N	wyświetlacz LED	5	1,756	8,78
658	TOF-5462BMRL-6B-TS - ROHS	wyświetlacz LED	15	0,303	4,55
659	TOL-30BHYADAA - ROHS	dioda LED 3mm yellow	2995	0,042	125,72
660	TOL-39KSYFKAA/ST11-S3 - ROHS	dioda LED	480	0,054	26,12
661	TOL-48KUGDCEA-G4D - ROHS	dioda LED	4000	0,206	825,48
662	TOL-502SYSC-D	dioda LED 5mm żółta, 14 000 mcd, 15 stopni, taśmowana	1000	0,226	225,84
663	TOL-50AOG4CGA	dioda LED dwukolorowa pomarańczowo-zielona 3 nóżki	15	0,249	3,74
664	TOL-50ARGB2CZA	dioda LED RGB 5mm 4 nóżki	7	0,249	1,74
665	TOL-50ARGDWGA	dioda LED dwukolorowa czerwono -zielona 5mm - nowe oznaczenie to TOL-504RGCW	2790	0,220	614,56
666	TOL-50AUGDCUA-G6D - ROHS	dioda LED, zielona 13 cd, 20 stopni	660	0,291	192,34
667	TOL-50AURACEA	dioda LED, czerwona water clear 1000mcd, 15 stopni	220	0,390	85,80
668	TOL-50AUWDCOA-ETB5 - ROHS	dioda LED, 5mm, biała 6500mcd, 15st., 3.2 - 3.5V	461	1,085	500,39
669	TOL-50BHGADEA - ROHS	dioda LED, zielona 25mcd, 50 stopni	14551	0,066	959,94
670	TOL-50BHYADEA - ROHS	dioda LED, żółta 25mcd, 50 stopni	19061	0,064	1 213,40
671	TOL-50BSYKCEA-OSM - ROHS	dioda LED, żółta 6cd, 30 stopni	100	0,191	19,08
672	TOL-52TSYKCEA-OSM2 - ROHS	dioda LED	8	0,249	1,99
673	TOL-52TUBDCEA-B8H - ROHS	dioda LED	4	0,248	0,99
674	TOL-52TUGDCEA-G4D - ROHS	dioda LED	4	0,248	0,99
675	TOL-55MSOGCRA-S5 - ROHS	dioda LED	3425	0,129	440,87
676	TOLB-DMX(CH3)-DC12V	zestaw świecący - sterownik RGB	4	27,505	110,02
677	TOLB-R36X36(RGB)4PX10-DC12V	zestaw świecący - RGB	4	116,893	467,57
678	TOLC-4C	lumi chain - moduł LED 8000K cold white (10szt)	24	48,873	1 172,96
679	TOLC-4S	lumi chain - moduł LED 6500K snow white (10szt)	77	51,223	3 944,14
680	TOLC-4W	lumi chain - moduł LED 3000K warm white (10szt)	5	59,132	295,66
681	TOL-DMAHRADAA	dioda LED 2x5mm - czerwona	700	0,120	84,00
682	TOL-DMBHOFCAA - ROHS	dioda LED 2x5mm czerwona dyfuzyjna, 10mcd, 130deg, 632nm	5	0,070	0,35
683	TOM-1588BMY-B - ROHS	matryca LED	10	7,725	77,25
684	TOM-1988AMAMG-B - ROHS	matryca LED	1	0,250	0,25
685	TOM-1988BMAMG-B - ROHS	matryca LED	2	0,245	0,49
686	TOM-1988BMR-B - ROHS	matryca LED	95	3,331	316,49
687	TOM-1988LEG-N4 - ROHS	matryca LED	18	8,101	145,82
688	TOM-1988LMAMG-N4 - ROHS	matryca LED	18	8,101	145,82
689	TOM-2058AMA-B - ROHS	elementy aktywne	81	3,169	256,70
690	TOM-2516BMY-1B - ROHS	matryca LED	2	0,305	0,61
691	TOM-2516BMY-B3 - ROHS	matryca LED	98	12,055	1 181,41
692	TOM-D1316CMA-B - ROHS	matryca LED	5	0,230	1,15
693	TOM-D1516BMA-B - ROHS	matryca LED	990	12,619	12 493,07
694	TOP-C150MY-12TC - ROHS	dioda LED	15	0,249	3,74
695	TOP-C150SW14BC - ROHS BIAŁA CIEPŁA	dioda LED	204	0,623	127,00

696	TOP-C150SW14BC - ROHS BIAŁA ZIMNA	dioda LED	616	0,512	315,41
697	TOP-C165MY14FC - ROHS	dioda LED Flux 3mm, żółta 12 000 mcd, 20 stopni	15423	0,326	5 035,54
698	TOS-1106BB-N - ROHS	wyświetlacz LED	158	3,500	552,96
699	TOS-1106BEG-B - ROHS	wyświetlacz LED	99	2,058	203,70
700	TOS-2181BE-B	wyświetlacz LED	990	0,807	799,41
701	TOS-23101BMRL-B	wyświetlacz LED - odpowiednik to FYS-23011BUR-11	3	3,937	11,81
702	TOS-3191BB-N - ROHS	wyświetlacz LED	10	0,326	3,26
703	TOS-3191BH-B - ROHS	wyświetlacz LED	389	0,709	275,94
704	TOS-40101DS-B	wyświetlacz LED	2	0,025	0,05
705	TOS-5121BG-N - ROHS	wyświetlacz LED	154	0,579	89,20
706	TOS-5121BMRL-B-LC - ROHS	wyświetlacz LED	3	0,287	0,86
707	TOS-5161BMRMG-N - ROHS	wyświetlacz LED	8	0,300	2,40
708	TOS-5163BB-B - ROHS	wyświetlacz LED	561	2,474	1 388,19
709	TOS-5163BG-N - ROHS	wyświetlacz LED	745	0,564	420,54
710	TOS-70101BS-B - ROHS	wyświetlacz LED	10	75,345	753,45
711	TOS-8102BG-N - ROHS	wyświetlacz LED	1112	0,634	705,56
712	TOS-8102BH-B - ROHS	wyświetlacz LED	4333	0,614	2 660,78
713	TOS-8102BMRL-B - ROHS	wyświetlacz LED	19	0,304	5,77
714	TOS-8102BMRL-B-LC - ROHS	wyświetlacz LED	3	0,287	0,86
715	TOS-8103BH-B	wyświetlacz LED	2	1,010	2,02
716	TOS-8103BH-N	wyświetlacz LED	5	0,330	1,65
717	TOT-5321BG-N	wyświetlacz LED	300	1,565	469,36
718	TOT-5321BMG-9B - ROHS	wyświetlacz LED	100	2,168	216,81
719	TOT-5321BS-9B	wyświetlacz LED	184	2,760	507,76
720	TOZ-1BL2CA-C - ROHS	dioda POWER LED	3	5,523	16,57
721	TOZ-1MEL2CA-C - ROHS	dioda POWER LED	3	4,897	14,69
722	TOZ-1MWL2DA-C - ROHS	dioda POWER LED	3	5,903	17,71
723	TOZ-1MYL2CA-C - ROHS	dioda POWER LED	3	5,400	16,20
724	TOZ-1PL2CA-C - ROHS	dioda POWER LED	3	6,907	20,72
725	TOZ-1WWL1DA - ROHS	dioda POWER LED	44	3,767	165,75
726	TOZ-1WWL1DAS - ROHS	dioda POWER LED	33	3,767	124,31
727	TOZ-3WWL1DA - ROHS	dioda POWER LED	43	8,790	377,98
728	TOZ-3WWL1DAS - ROHS	dioda POWER LED z radiatorem	22	8,790	193,39
729	TSG240128B1241XXXX00	Resistive Touch Panel 4.8", 4-W, 1-point, AA:108.00x57.60, OL:128.00x74.00x1.50, FPC/ZIF, (AG	1	0,000	0,00
730	TSG320240B1141XXXX00	Resistive Touch Panel 5.88", 4-W, 1-point, AA:119.2x90.3, OL:140.0x104.0x1.50, FPC/ZIF	2	0,000	0,00
731	TSOP4836 VIS - ROHS	transoptor	54	1,160	62,64
732	TSX320240A1241XXXX01	Resistive Touch Panel 3.9", 4-W, 1-point, AA:79.5x59.58, OL:89.9x69.9x1.0, FPC/ZIF (do wysw. se	1	17,140	17,14
733	TZMC3V3 VIS - ROHS	dioda	2500	0,040	100,00
734	TZS4678 VIS	dioda	5000	0,110	550,00
735	U2043B-M - DIP8	układ scalony	3228	0,920	2 969,76
736	UC3844N FAI - ROHS	układ scalony	50	0,720	36,00
737	VR05S-621 - ROHS	warystor	1000	0,064	64,11
738	VR07N-121 - ROHS	warystor JVR07N-121K65YU4-L	7000	0,031	219,92
739	VR07N-121 KR.NOGI - ROHS	warystor JVR07N-121K65P50-L	1000	0,043	43,20
740	VR07N-201 - ROHS	warystor	15000	0,057	859,24
741	VR07N-270 - ROHS	warystor	800	0,290	232,00
742	VR07N-330 - ROHS	warystor	5225	0,135	706,77
743	VR10N-220 - ROHS	warystor JVR10N220L87PAY-L	1000	0,171	171,24
744	VR10N-270	warystor	2100	0,165	345,78
745	WB12864D-YYH-NZ#	LCD 128x64, COB, STN Pos. Yellow Green, LED Yellow Green, Int:4b/8b, 6H, Contr: RA6963, A	5	32,808	164,04
746	WDN0221-NBG#00 - ROHS	wyświetlacz LCD	2	0,000	0,00
747	WDN0265-TFK-#00 - ROHS	wyświetlacz LCD FSTN positive, transflekctive, B/L white edge	2	28,110	56,22
748	WDO0019-TMI#01	wyświetlacz LCD taki jak WDO0019-TMI#00 - ROHS tylko bez PCB	1	0,000	0,00
749	WEG010016BGPP5N00000	OLED, 100x16, Green, Contr:WS0010, Int:4b/8b, 5V, AA:95.94x17.86, OL:122.0x44.0x10.0***	2	0,000	0,00
750	WEG010016FGPP5N00000	OLED, 100x16, Green, Contr:WS0010, Int:4b/8b, 5V, AA:64.95x11.15, OL:116.0x37.0x9.8	3	0,000	0,00
751	WEG010016FLPP5N00000	OLED, 100x16, Yellow, Contr:WS0010, Int:4b/8b, 5V, AA:64.95x11.15, OL:116.0x37.0x9.8	1	0,000	0,00
752	WF35DTIACDA#000 -T/P	3.5" 8-BIT TFT kolor 320x240, 3,5" ROHS	2	67,415	134,83
753	WF35DTIBCDE# +CON	następca to WF35CTIBCDDB# 3.5" 8-BIT TFT kolor 320x240, 3,5" ROHS -control board SSD19	1	68,780	68,78
754	WF43BTIAED0#010 + T/P - ROHS	wyświetlacz TFT bez kontrolera + Touch Panel na wspólnej taśmie 40 pin 0,5mm	3	71,133	213,40

755	WF43BTIBED0# + CON	wyświetlacz TFT 8 BIT 480x272 SSD1963 złącze 20 pin 1 mm	2	88,915	177,83
756	WF57BTIACD0#000	wyświetlacz TFT kolor 320x240, 5,7" ROHS	4	149,175	596,70
757	WF57DTIBCD0#000	wyświetlacz TFT kolor 320x240, 5,7" ROHS, złącze 32 pin 0,5mm + taśma 4pin 1mm do TP	4	209,363	837,45
758	WF57ETIECD0#000	LCD TFT 5.70", 320x240, LED 300cd/m^2, RTP, RGB 18b (262k), AA: 115.25x86.4, OL: 126.00x	1	0,000	0,00
759	WG128128B-TFH-TZ#	LCD 128x128, FSTN Pos., LED White, Int:8b, Contr: LC7981, 6H, AA:44.77x44.77, OL:72.5x69.9x	11	54,628	600,91
760	WG128128C-TFH-NZ#	LCD 128x128, FSTN Pos., LED White, Int:8b, Contr: T6963C, 6H, AA:44.77x44.77, OL:65.5x70.0x	3	54,623	163,87
761	WG12864G-AFH-VY#	LCD 128x64, FSTN Pos., LED Amber, Int:8b, Contr: RA6963, 6H, AA:56.3x38.38, OL:78.0x70.0x1	5	72,462	362,31
762	WG12864G-TFH-VY#	LCD 128x64, FSTN Pos., LED White, Int:8b, Contr: RA6963, 6H, AA:56.3x38.38, OL:78.0x70.0x1	5	71,886	359,43
763	WG12864G-TMI-VY#	LCD 128x64, STN Neg. Blue., LED White, Int:8b, Contr: RA6963, 6H, AA:56.3x38.38, OL:78.0x70	5	66,982	334,91
764	WG12864M-TMI-V#N030	LCD 128x64, STN Neg. Blue, LED White, Int:8b, Contr: NT7108C, 6H, AA:66.52x33.24, OL:95.5x	2	36,895	73,79
765	WG160128C-TMI-VZ#	LCD 160x128, STN Neg. Blue, LED White, Int:8b, Contr: RA6963, 6H, AA:95.96x76.76, OL:150.0x	4	80,303	321,21
766	WG16032D3-TMI-TB5#	LCD 160x32, STN Neg. Blue, LED White, Int:4b/8b, Contr: ST7920, 6H, AA:95.95x19.15, OL:122.	6	22,202	133,21
767	WG19232B-TMI-TB5#	LCD 192x32, STN Neg. Blue, LED White, Int:4b/8b, 6H, Contr: ST7920, 6H, AA:80.6x15.96, OL:1	2	27,480	54,96
768	WG19264A-AFL-TE#N000	LCD 192x64, FSTN Pos., LED Amber, Int:8b, Contr: NT7108, 12H, AA:96.0x32.0, OL:130.0x65.0x	10	44,013	440,13
769	WG19264A-TFK-TN#	LCD 192x64, FSTN Pos., LED White, Int:8b, 12H, Contr: NT7108, AA:96.0x32.0, OL:130.0x65.0x	7	40,570	283,99
770	WG19264A-TGK-TN#	LCD 192x64, FSTN Pos. Gray, LED White, Int:8b, Contr: NT7108, 12H, AA:96.0x32.0, OL:130.0x6	1	43,680	43,68
771	WG20232C-YYH-N#T	LCD 202x32, STN Pos. YellowGreen, LED YellowGreen, Int: 4b/8b, Contr:ST7920, AA:119.16x18.	2	35,740	71,48
772	WG240128B-ATI-TZ#	LCD 240x128, FSTN Neg., LED Amber, Int:8b, Contr: RA6963, 6H, AA:107.98x57.58, OL:144.0x	4	89,478	357,91
773	WG240128R-TMI-TZ#	LCD 240x128, STN Neg. Blue, LED White, Int:4b/8b, Contr: RA8820, 6H, AA:107.98x57.58 , OL:1	8	88,444	707,55
774	WG24064A-AFH-VZ#	LCD 240x64, FSTN Pos., LED Amber, Int:8b, Contr: T6963C, 6H, AA:127.16x33.88, OL:180.0x65.	2	69,695	139,39
775	WG320240BX-TFH-TZ#000	LCD 320x240, FSTN Pos., LED White, Int:8b, Contr: S1D13700, 6H, AA:115.18x86.38, OL:160.0x	1	0,000	0,00
776	WG320240BX-TMI-TZ#031	LCD 320x240, STN Neg. Blue, LED White, Int:8b, Contr: S1D13700, 6H, AA:115.18x86.38, OL:16	14	141,732	1 984,25
777	WG320240BX-TTI-TZ#020	LCD 320x240, FSTN Neg., LED White, Int:8b, Contr: S1D13700, 6H, AA:115.18x86.38, OL:160.0x	1	147,220	147,22
778	WG320240C0-RTI-VZ#010	LCD 320x240, FSTN Neg., LED Red, Int:8b, Contr: RA8835A, 6H, AA:115.18x86.38, OL:148.02x1	5	81,450	407,25
779	WG320240C0-TMI-NZ#010	LCD 320x240, STN Neg. Blue, LED White, Int:8b, Contr: RA8835A, 6H, AA:115.18x86.38, OL:14	1	133,960	133,96
780	WG320240C0-TTI-NZ#000	LCD 320x240, FSTN Neg., LED White, Int:8b, Contr: RA8835A, 6H, AA:115.18x86.38, OL:148.02	1	148,680	148,68
781	WH1202A-TMI-CT#	LCD 12x2, STN Neg. Blue, LED White, Int:4b/8b, 6H, AA:37.85x11.7, OL:55.7x32.0x14.5	293	6,578	1 927,45
782	WH1602B-PMI-CT#	LCD 16x2, STN Neg. Blue, LED Blue, Int:4b/8b, 6H, AA:56.20x11.5, OL:80.0x36.0x13.5	47	14,338	673,89
783	WH1602B-REI-CTV#	LCD 16x2, ISTN Neg., LED Red, Int:4b/8b, 6H, AA:56.20x11.5, OL:80.0x36.0x13.2, (negative volta	4	9,415	37,66
784	WH1602B-TTI-JT#	LCD 16x2, FSTN Neg., LED White, Int:4b/8b, 6H, AA:56.20x11.5, OL:80.0x36.0x13.5	4	11,553	46,21
785	WH1602C-YYH-JTK#	LCD 16x2, STN Pos. Yellow Green, LED Yellow Green, Int:4b/8b, 6H, AA:56.21x11.5, OL:85.0x36	25	4,930	123,24
786	WH1602D-AGH-JT#	LCD 16x2, STN Pos. Gray, LED Amber, Int:4b/8b, 6H, AA:56.20x11.5, OL:85.0x30.0x13.2	4	6,430	25,72
787	WH1602D-TFH-CTV#	LCD 16x2, FSTN Pos., LED White, Int:4b/8b, 6H, AA:56.20x11.5, OL:85.0x30.0x13.5, (negative vo	2	0,000	0,00
788	WH1602D-YYH-CTK#010	LCD 16x2, STN Pos. Yellow Green, LED Yellow Green, Int:4b/8b, 6H, AA:56.21x11.5, OL:85.0x30	128	6,819	872,80
789	WH1602L1-TDI-CT	LCD 16x2, FFSTN Neg., LED White, Int:4b/8b, 6H, AA:94.84x20.0, OL:122.0x44.0x13.6	170	16,134	2 742,72
790	WH1602L1-TDL-CT#	LCD 16x2, FFSTN Neg., LED White, Int:4b/8b, 12H, AA:94.84x20.0, OL:122.0x44.0x13.6*	2	0,000	0,00
791	WH1602L-AGI-JT#	LCD 16x2, STN Pos. Gray, LED Amber, Int:4b/8b, 6H, AA:94.84x20.0, OL:122.0x44.0x13.6	1	13,370	13,37
792	WH1602L-PFK-CT#	LCD 16x2, FSTN Pos., LED Blue, Int:4b/8b, 12H, AA:94.84x20.0, OL:122.0x44.0x13.6	1	19,600	19,60
793	WH1602L-PYK-CT#	LCD 16x2, STN Pos. Yellow Green, LED Blue, Int:4b/8b, 12H, AA:94.84x20.0, OL:122.0x44.0x13.	1	17,840	17,84
794	WH1602L-TGK-CTV#	LCD 16x2, STN Pos. Gray, LED White, Int:4b/8b, 12H, AA:94.84x20.0, OL:122.0x44.0x13.6, (nega	1	18,340	18,34
795	WH1602L-YYH-ET#011	LCD 16x2, STN Pos. Yellow Green, LED Yellow Green, Int:4b/8b, 6H, AA:94.84x20.0, OL:122.0x4	123	14,282	1 756,71
796	WH1604A-YYH-ET#	LCD 16x4, STN Pos. Yellow Green, LED Yellow Green, Int:4b/8b, 6H, AA:56.20x20.8, OL:87.0x60	40	14,921	596,83
797	WH1604A-YYK-JT#	LCD 16x4, STN Pos. Yellow Green, LED Yellow Green, Int:4b/8b, 12H, AA:56.20x20.8, OL:87.0x6	8	15,841	126,73
798	WH1604B-YYH-EP#	LCD 16x4, STN Pos. Yellow Green, LED Yellow Green, Int:4b/8b, 6H, AA:56.20x20.8, OL:70.6x60	98	14,991	1 469,10
799	WH2001B-TMI-CT#	LCD 20x1, STN Neg. Blue, LED White, Int:4b/8b, 6H, AA:142.8x14.98, OL:180.0x40.0x13.9	1	37,380	37,38
800	WH2001B-TTI-CT#	LCD 20x1, FSTN Neg., LED White, Int:4b/8b, 6H, AA:142.8x14.98, OL:180.0x40.0x13.9	1	42,120	42,12
801	WH2002M-AFK-CT#	LCD 20x2, FSTN Pos., LED Amber, Int:4b/8b, 12H, AA:118.84x18.97, OL:146.0x43.0x13.7*	2	32,275	64,55
802	WH2002M-TTL-CT#	LCD 20x2, FSTN Neg., LED White, Int:4b/8b, 12H, AA:118.84x18.97, OL:146.0x43.0x13.7	2	32,275	64,55
803	WH2004A-AGH-JT#	LCD 20x4, STN Pos. Gray, LED Amber, Int:4b/8b, 6H, AA:70.4x20.8, OL:98.0x60.0x13.6	1	0,000	0,00
804	WH2004L-AGH-CT#	LCD 20x4, STN Pos. Gray, LED Amber, Int:4b/8b, 6H, AA:55.1x17.56, OL:77.0x47.0x11.9	2	40,840	81,68
805	WH2004L-AGI-CT#000	LCD 20x4, STN Pos. Gray, LED Amber, Int:4b/8b, 6H, AA:55.1x17.56, OL:77.0x47.0x11.9*	3	40,180	120,54
806	WH2402A-CMI-CT#	LCD 24x2, STN Neg. Blue, LED Triple Color, Int:4b/8b, 6H, AA:88.3x11.5, OL:118.0x36.0x13.6	1	16,290	16,29
807	WH2402A-TFH-CT#	LCD 24x2, FSTN Pos., LED White, Int:4b/8b, 6H, AA:88.3x11.5, OL:118.0x36.0x13.6	8	13,403	107,22
808	WH2402A-YFH-CT#	LCD 24x2, FSTN Pos., LED Yellow Green, Int:4b/8b, 6H, AA:88.3x11.5, OL:118.0x36.0x13.6*	2	13,175	26,35
809	WH4002A-NGA-JT#	LCD 40x2, STN Pos. Gray, Without B/L, Int:4b/8b, 6H, AA:147.5x11.5, OL:182.0x33.5x8.8	22	14,771	324,96
810	WH4004A-YYH-CT#	LCD 40x4, STN Pos. Yellow Green, LED Yellow Green, Int:4b/8b, 6H, AA:140.45x23.16, OL:190.0	107	29,318	3 136,98
811	WICCFL2 - ROHS	przetwornica do CCFL 12V	10	6,063	60,63
812	WIEL1 - ROHS	przetwornica do CCFL	4	4,923	19,69
813	WO12864A1-PFH#	LCD COG 128x64, FSTN Pos., LED Blue, Int:8b/SPI, Contr: ST7565P, 6H, AA:49.89x27.49, OL:60	6	15,148	90,89

814	WO12864A1-PFK#	LCD COG 128x64, FSTN Pos., LED Blue, Int:8b/SPI, Contr: ST7565P, 12H, AA:49.89x27.49, OL:6	1	0,000	0,00
815	WO12864A1-TTI#	LCD COG 128x64, FSTN Neg., LED White, Int:8b/SPI, Contr: ST7565P, 6H, AA:49.89x27.49, OL:6	11	17,895	196,84
816	WO24064A-TFH#	LCD COG 240x64, FSTN Pos., LED White, Int:8b/SPI, Contr: ST7565S, 6H, AA:127.17x33.89 , OL:6	3	0,000	0,00
817	YC124-JR-071KL - ROHS	drabinka rezystorowa 4 x 0402 5%	10000	0,016	160,00
818	YC164FR-072K2 - ROHS	drabinka rezystorowa 4x0603 - 1%	10000	0,014	139,07
819	YM177T-016B-FPC-B	wyświetlacz LCD	40	9,367	374,66
820	ZIF0361DH	złącze 61 pin 0,3mm dolny kontakt	14	1,439	20,15
821	ZIF0518DH	złącze 18 pin 0,5mm dolny kontakt	30	1,000	30,00
822	ZIF0529DH	złącze 29 pin 0,5mm dolny kontakt	75	0,656	49,23
823	ZIF0533UH	złącze 33 pin, 0,5mm górny kontakt	11	1,320	14,52
824	ZIF1016DH	złącze 16 pins 1mm dolny kontakt	8	0,331	2,65
825	ZL201-40G-ROHS	listwa	200	0,170	34,00
826	ZL262-10SG - ROHS	złącze	4	0,120	0,48